

**To:** Eugenia Naranjo/R2/USEPA/US@EPA[]  
**Cc:** "Kristen Durocher" [kristen.durocher@aecom.com]; Sharon Budney" [BudneySL@cdm.com]; Willard Potter" [otto@demaximis.com]; tephane Vaughn/R2/USEPA/US@EPA;[aaccardidey@louisberger.com]; aaccardidey@louisberger.com>;"Len Warner" [lwarner@louisberger.com]; Len Warner" [lwarner@louisberger.com]; Elizabeth.A.Buckrucker@usace.army.mil>[]  
**From:** "Robert Law"  
**Sent:** Fri 8/17/2012 1:56:04 PM  
**Subject:** Re: hvCWCM->need for shipment of pre-cleaned 25 um filters

We are working on it....

>>> Eugenia Naranjo <Naranjo.Eugenia@epamail.epa.gov> 8/17/2012 9:20 AM >>>

Rob, Bill, Kristen,

Axys contacted the CPG vendor to order the 25 um filters, and it will take 7 days for filters to arrive. Would it be possible for the CPG ship four of your pre-cleaned 25 um filters to Axys -today- to keep this moving? You can use LBG's FedEx tracking number 306770276 for the overnight shipment.

The coagulant blank should include the 25 um filter because it is a cellulose-wood filter, not a glass fiber filter. If you have any questions you can contact AmyMarie (Stephanie's out today and I'm officially off but checking emails). Please let us know.

thanks,

Please send filters to:

Georgina Brooks

Axys Analytical Services

2045 Mill Road West

Sidney, British Columbia, Canada

V8L5X2

Eugenia Naranjo  
United States Environmental Protection Agency  
290 Broadway  
New York, NY 10007-1866  
212-637-3467

Naranjo.Eugenia@epa.gov